

Boats*

NAMAHA BOAT COMPANY 2023





Bow to Stern Limited Warranty Transferable to Second Owner Within 5 Years of Original Purchase



PERIOD OF LIMITED WARRANTY: Any new G3 Boat or SunCatcher Pontoon purchased for personal, family or household use from any authorized G3 Boat or SunCatcher Pontoon dealer in 50 U.S. States, U.S. territories and U.S. jurisdictions, and Canada, will be warranted against major structural defects in material or workmanship as follows: (i) Limited Lifetime External Seams and Deck: main riveted and welded seams in hull to include keel, outside chine and transom to hull seam riveted and welds for the duration of ownership of the first retail purchaser from an authorized G3 dealer; (ii) Five (5) Year Bow to Stern Limited Warranty: structural components, including other welds, bulkheads, stringers, and rivets and select non-structural components, as follows: gauges, stereo, vinyl, and furniture (except as noted otherwise under General Exclusions) are warranted against defects in material or workmanship for a period of five (5) years from the date of purchase.

Effective Date: September 1, 2021. Other restrictions and conditions apply. To read complete G3 Advantage Limited Warranty details, go to g3boats.com/Warranties.

Follow instructional materials and obey all laws. Ride responsibly, wearing protective apparel and USCG approved personal flotation device. Always drive within your capabilities, allowing time and distance for maneuvering, and respect others around you. Never drink and ride.

TABLE OF CONTENTS

SPORTSMAN	F18 - F19 Bay Tunnel 20 GX 18 GX	F36 Outfitter V187 T V177 T V167 T V150 T
F2 - F3 Sportsman Introduction	F20 - F21 Bay 17	F37 Guide V187 T V177 T V167 T V150 T
F4 Sportsman 2400	F22 Bay Specs Options	F38 Angler V Specs Options
F5 Sportsman 2100	F23 Bay Color Guide	F39 Angler V Specs Color Guide
F6 Sportsman 1910 1810	ANGLER V	GATOR TOUGH JON
F7 Sportsman 1710	F24 - F25 Angler V Introduction	F40 - F41 Gator Tough Jon Introduction
F8 Sportsman 1810 PFX	F26 Angler V 21 F	F42 20 CCJ 18 CCJ 17 CCJ
F9 Sportsman 1710 PFX	F27 Angler V 19 SF	F43 18 CCT
F10 Sportsman 1610	F28 Angler V 18 SF	F44 20 CCJ DLX 18 CCJ DLX 17 CCJ DLX
F11 Sportsman 1610 SS	F29 Angler V 17 SF	F45 18 CCT DLX
F12 Sportsman Spec Options	F30 Angler V18 C V17 C	F46 18 DK 16 DK 15 DK
F13 Sportsman Color Guide	F31 Angler V17 T	F47 16 FL 15 FL
BAY	F32 Angler V164 F V178 F	F48 - F49 20 CC 18 CC 17 CC
F14 - F15 Bay Boat Introduction	F33 Angler V164 C V178 C	F50 - F51 20 SC 18 SC 17 SC
F16 Bay 22 GX 20 GX	F34 Angler V1850 SF	F52 - F53 2066 WOF 1860 WOF 1652 WOF 1860WOFJ
F17 Bay 18 GX	F35 Angler V1750 SF	F54 - F55 Riveted Welded Warranty Legal
X X X X X X		F56 - F57 Gator Tough Jon Specs Options





NMMA® 2022 CSI Award Recipient for Customer Satisfaction Aluminum Boats Industry Leading 19 Consecutive Years

The Certified Advantage The NMMA® Certified label on a G3 Boat lets you know it was built to meet and often exceed, strict quality and safety standards established by the U.S. Coast Guard and the American Boat and Yacht Council. These standards include 31 categories covering electrical systems, powering, flotation, fuel systems and navigation lights. Certified boats must also pass rigorous annual inspections from independent third-party inspectors. As a result, U.S. Coast Guard statistics show NMMA® Certified boats have been shown to be safer than non-certified boats.









SPORTSMAN SERIES

The name says it all...Sportsman. These all-aluminum, all-welded fishing machines continue to exceed the expectations of anglers everywhere, thanks to their unique and versatile layouts. Huge casting decks, extra-large divided livewells with pump-out, recessed trolling motor foot controls, and massive amounts of storage are just a few of the features that make the Sportsman models our most popular series of boats. Make G3 and Yamaha your fishing partners today, and upgrade your adventures for years to come.





SPORTSMAN2400



S T A N D A R D P A C K A G E

All-aluminum, all welded .125 gauge hull

Exterior: Painted high-gloss color with custom graphics or Mossy Oak® camo

Interior: Tuff Coat™ spray-in liner

Bear® aluminum tandem axle Trail Guard® trailer with locking detachable tongue

14" radial tires

Standard with brakes and LED lighting

Hydraulic steering

3 bank battery charger



options







Sportsman

COCKPIT shown with optional SeaDek® mats. Available colors are Storm Gray, Cream & Mocha. COMMAND CENTER includes Yamaha gauges, custom tilt steering wheel and your choice of Humminbird® electronics. YAMAHA HELM MASTER® is an option on the 2400 and 2100 models. This system is a fully integrated boat control system that includes enhanced binnacle control, a streamline digital display, push-button start/stop switches, and an RFID key fob and an innovative joystick. OPTIONAL LADDER can be added to the stern of the boat allowing for easy access.

SHOWN IN CHARCOAL METALLIC WITH RED/BLACK GRAPHICS

SPORTSMAN 2100



STANDARD PACKAGE

All-aluminum, all welded .125 gauge hull

Exterior: Painted high-gloss color with custom graphics or Mossy Oak® camo

Interior: Tuff Coat™ spray-in liner

Bear® aluminum tandem axle Trail Guard® trailer with locking detachable tongue

14" radial tires

Standard with brakes and LED lighting

Hydraulic steering

3 bank battery charger













🛅 🗾 🧗 🎯 G3BOATS.COM

PASSENGER CONSOLE provides storage for you and your passenger and the walk-though windshield furnishes maximum protection while underway.

FISHING SEATS are fold-down and removable to bow and stern pedestal locations.

BOW LIVEWELL is 25 gallons and gives the bow angler easy access to keeping his catch fresh.







SHOWN IN WHITE WITH BLUE/BLACK GRAPHICS

SPORTSMAN 1910 1810



All-aluminum, all welded .100 gauge hull

Exterior: Painted high-gloss color with custom graphics or Mossy Oak® camo

Rubber-infused Kodiak® coated 3" tubular steel Trail Guard® trailer w/ locking detachable tongue

14" radial tires w/ aluminum wheels (13" on 1810)

14" radial tires w/ alumi
Minn Kota® Maxxum® 70
Humminbird® HELIX® 5 0
Hydraulic steering (1910
3 bank battery charger Minn Kota® Maxxum® 70 lb, 24 volt, 42" shaft trolling motor (1910) / Edge 70, 24 volt, 45" shaft (1810)

Humminbird® HELIX® 5 CHIRP DI GPS


Hydraulic steering (1910)











BIKE SEAT is a popular option for the hard core fisherman. Adjustable pedestal pole provides a comfortable height for all anglers.

PORT CONSOLE is available as an option on the 1910, 1810 and 1710 Sportsman models.

AFT LIVEWELL is 15" x 45" and 33 gallons with storage for smaller items on each side.



SPORTSMAN 1810 PFX



All-aluminum, all-welded Exterior: Painted high-gl Exterior: Painted high-gl Rubber-infused Kodiak® 13" radial tires w/ alumi Minn Kota® Edge 70, 24 Minn Kota® Edge 70, 24 Minn Kota® HELIX® 5 C All-aluminum, all-welded .100 gauge hull

Exterior: Painted high-gloss colors w/ custom graphics or painted Mossy Oak® camo

Rubber-infused Kodiak® coated 3" tubular steel Trail Guard® trailer w/ locking detachable tongue

13" radial tires w/ aluminum wheels


Minn Kota® Edge 70, 24 volt trolling motor

Humminbird® HELIX® 5 CHIRP DI GPS









FISHING SEATS are high-back and comfortable for all day on the water. Comes with two fishing seats.

CONSOLE is suspended and has plenty of leg room underneath to stretch out your legs. Console has in-dash Humminbird® HELIX® 5.

SHOWN IN MOSSY OAK® SHADOW GRASS



SPORTSMAN 1610



All-əluminum, əll-welded .100 gəuge hull

Exterior: Painted high-gloss colors w/ custom graphics or painted Mossy Oak $^{\!\otimes}$ camo

Rubber-infused Kodiak® coated 3" tubular steel Trail Guard® trailer w/ locking detachable tongue

13" radial tires w/ aluminum wheels

Minn Kota® Edge 55, 12 volt, 45" shaft trolling motor

Humminbird® Piranha® MAX4







CONSOLE comes standard with in-dash Humminbird® Piranha® MAX4, Yamaha gauges and sport style steering wheel.

UNDERSEAT STORAGE allows you to store smaller items and the center cushion provides another passenger seat and can flip for step to back.

BREAKUP

FISH SEATS are fold-down and are removable to bow and stern pedestal locations.



SPORTSMAN 1610 SS Spartsman Shown with options All-aluminum, all-welded .100 gauge hull STANDARD PACKAGE Exterior: Painted high-gloss colors w/ custom graphics or painted Mossy Oak® camo Interior: Tuff Coat™ Rubber-infused Kodiak® coated 3" tubular steel Trail Guard® trailer w/ locking detachable Minn Kota® Edge 45, 12 volt, 45" shaft trolling motor f @ G3BOATS.COM SWITCH PANEL for driver has a fuel gauge, and switches for master power, bilge, livewell and navigation lights. UNDER SEAT LIVEWELL is a 10" x 23", 10 gallon livewell with timer. Cushion lid provides seat for third angler. SIDE ROD STORAGE is lockable and has rod tubes to help protect your gear. SHOWN IN MIDNIGHT BLUE WITH SILVER/BLACK GRAPHICS

SPORTSMAN SPECS & OPTIONS

For complete information on Standard Features and Options, visit g3boats.com or your local dealer.

















	SPORTSMAN 1610 SS	SPORTSMAN 1610	SPORTSMAN 1710	SPORTSMAN 1710 PFX	SPORTSMAN 1810	SPORTSMAN 1810 PFX	SPORTSMAN 1910	SPORTSMAN 2100	SPORTSMAN 2400
BOAT LENGTH	16'10"	16'10"	17'10"	17'10"	18'10"	18'10"	19'10"	20'11"	23'11"
PKG. LENGTH length on trailer	20'8"	21'6"	23'	23'	23'10"	23'10"	24'10"	26'6"	28'11"
WIDTH ON TRAILER	75"	92"	92"	92"	92"	92"	92"	101"	101"
BEAM	71"	92"	92"	92"	92"	92"	92"	95"	95"
BOTTOM WIDTH	52"	64"	64"	64"	64"	64"	64"	72"	72"
TRANSOM HEIGHT	20"	20"	20"	20"	20"	20"	20"	25"	25"
BOW OR SIDE DEPTH	21"	24"	24"	24"	24"	24"	24"	28"	28"
DEAD RISE	30	10°	10°	100	10°	100	`10°	15°	15°
APPROX. DRY HULL WT.	740	1066	1080	1080	1190	1251	1375	1797	1880
APPROX. PACKAGE WT.	1475	1690	1865	1865	2025	2076	2445	3137	3384
HULL GAUGE	.100	.100	.100	.100	.100	.100	.100	.125	.125
MAX. HORSEPOWER	70	70	90	90	115	115	150	200	250
MAX. WT. CAPACITY	1000	1100	1200	1200	1250	1250	1300	2000	2500
NUMBER OF PERSONS	3	4	4	4	4	4	4	8	10
FUEL CAPACITY	11 G	21 G	21 G	21 G	21 G	21 G	21 G	29 G	50 G
LIVEWELL dimensions & capacities	10"x 23" 10G	15"x 45" 33G	15"x 45" 33G	15"x 45" 33G 10"x 29" 19G	15"x 45" 33G	15"x 45" 33G 10"x 29" 19G	15"x 45" 33G	26"x 20" 25G 16"x 62" 65G	26"x 20" 25G 16"x 62" 65G



Blade® Series Power Pole® in 8 ft. and 10 ft. sizes. Colors include black, red, blue and white. (Not available on 1610 SS)



1910, 1810 and 1710.



Options include the Port console available on the Helm or bow mount Humminbird® electronics are available to add to your new G3.



Every angler should have this "bike" seat stowed away for the days when the fishing is so good, so fast that you need to keep catching and still be able to swivel to the next hot spot quickly. Adjustable pedestal pole provides a comfortable height for all anglers.



G3 helps you boat package. A wide selection of Minn Kota® trolling motors are offered. Ask your dealer for details.



Matching camo mooring covers customize your new are popular options for the G3 selection of Mossy Oak® camo boats. Every model is patterned and custom fit to the boat by Dowco®, Inc. (Black available through G3, additional colors available from Dowco® directly)

SPORTSMAN COLOR GUIDE

HULL COLOR OPTIONS

WHITE

CHARCOAL

MIDNIGHT BLUE





MOSSY OAK® SHADOW GRASS®

INTERIOR VINYL OPTIONS

TAN

GRAY



EXTERIOR GRAPHICS OPTIONS

Available with White and Charcoal Hull












Available with Midnight Blue Hull

SILVER | BLACK









INTERIOR ACCENT OPTIONS

Available with Gray Interior



RED Available with Orange Exterior Available with Red Exterior









FURNITURE & SEATS











A perfect example of two popular options; a custom fit mooring cover from Dowco®, Inc. and a precision-fit aluminum trailer with aluminum wheel upgrade.

Notice to Consumer: The performance information and data contained in this Catalog is approximate and subject to many different factors and variables. It is provided as a quideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Catalog due to various factors, including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Please also keep in mind that the data contained in this Catalog may or may not have been performed using Yamaha PowerMatched® components. Yamaha and G3 Boats reserve the right to change the specifications and performance data of these boat & motor packages without notice.

Follow instructional materials and obey all laws. Ride responsibly, wearing protective apparel and USCG approved personal flotation device. Always drive within your capabilities, allowing time and distance for maneuvering, and respect others around you. Never drink and ride.









BAY SERIES

The Bay Series is all-aluminum and all-welded. These models feature wide, deep hulls, exceptional handling and top-end performance, and all of the fishing features that anglers have come to expect from G3 and Yamaha. Tuff Coat™ spray-in liner enhances the interior durability. Extra large livewells give you up to 45 gallons of on-board aerated water for your catch. The standard aluminum trailer makes these boats a joy to tow and to launch without worry in any coastal environment. These classic-styled Bay Boats offer you several outstanding choices for selecting the quality, performance and satisfaction of G3 and Yamaha.



All models available in Ice Blue Metallic, Seafoam, Charcoal Metallic, Mossy Oak® Break-Up® and Mossy Oak® Shadow Grass®.

Optional equipment shown in some photographs.




BAY 22 GX 20 GX











LEAN POST with footrest is standard equipment along with a 31 gallon stern livewell. 48 quart cooler fits behind the footrest.

🖫 🔰 👩 G3BOATS.COM

SIDE ROD STORAGE gives you more space to store additional rods.

BUOYANCY PODS are standard on 22 & 20 GX models and aid in shallow water running.

BAY18 GX



All-aluminum, all-welded .100 gauge hull
Exterior: Painted high-gloss colors or Mossy Oak® camo
Interior: Tuff Coat™ spray-in liner
Bear® 3" aluminum trailer with Trail Guard® locking detact
14" radial tires
Buoyancy pods
No Feed Back Steering

Bear® 3" aluminum trailer with Trail Guard® locking detachable tongue

OPTIONAL T-TOP flips up allowing more casting space in the stern.

BAY 18 GX

G3

STERN LIVEWELL is 31 gallons and helps keep your catch fresh.

JUMP SEATS are located on both sides of the stern livewell. Storage is found under the seats for small items.





SHOWN IN CHARCOAL METALLIC

BAY 20 GX Tunnel 18 GX Tunnel



PACK,

All-əluminum, əll-welded .100 gauge hull

Exterior: Painted high-gloss colors or Mossy Oak® camo

Interior: Tuff Coat™ spray-in liner

Bear® 3" aluminum trailer with Trail Guard® locking detachable tongue

14" radial tires

Buoyancy pods

Hydraulic steering (20 GX Tunnel)

No Feed Back Steering (18 GX Tunnel)

20 GX TUNNEL

18 GX TUNNEL







BUILT-IN TACKLE TRAY STORAGE SYSTEM gives easy access to your fishing tackle and a livewell is located under the seat and doubles as a passenger seat.

GRAB RAIL with windshield folds giving the angler extra work space.

TUNNEL HULL DESIGN G3 is the leader in tunnel hull designs for the shallow water sportsman. Buoyancy pods aid shallow water hole shot.



BAY 17



All-aluminum, al Exterior: Painter Interior: Tuff Co Bear® 3" alumin 14" radial tires All-aluminum, all-welded .100 gauge hull

Exterior: Painted high-gloss colors or Mossy Oak® camo

Interior: Tuff Coat™ spray-in liner

Bear® 3" aluminum trailer with Trail Guard® locking detachable tongue









ROD STORAGE is found on the console as well as on the port side of the boat.

LOCKABLE CONSOLE DOOR WITH STORAGE optional console door adds just the right amount of storage and security for your more valuable fishing gear.

BOW LIVEWELL & STORAGE 19 gallon bow livewell makes fishing easy. Bow storage makes putting away your gear a

SHOWN IN MOSSY OAK® BREAK UP/PACKAGE SHOWN IN SEAFOAM



BAY SPECS & OPTIONS

For complete information on Standard Features and Options, visit g3boats.com or your local dealer.













BOAT LENGTH 17'2" 18'10" 18'10" 20'3" 20'2" 22'3" PKG. LENGTH 121'8" 23'10" 23'10" 24'10" 24'6" 28'4" 28'4" 21'18" 23'10" 23'10" 24'10" 24'6" 28'4" 28'4" 21'18" 23'10" 23'10" 24'10" 24'6" 28'4" 28'4" 21'18' 21'156 16'* 21" 156							
PKG_LENGTH (ength of trailer) 21'8" 23'10" 23'10" 24'10" 24'6" 28'4" WIDTH ON TRAILER 83" 96" 97" 97" 97" 97" BEAM 83" 96" 97" 97" 97" 97" BOTTOM WIDTH 56" 63" 64" 64" 64" 64" TRANSOM HEIGHT 20" 22" 27" 22" 27" 22" BOW OR SIDE DEPTH 26" 27" 29" 27" 29" 27" DEAD RISE 10° 15° 6° 15° 6° 15° APPROX. DRY HULL WT. 865 1350 1320 1540 1454 1676 APPROX. PACKAGE WT. 1590 2290 2260 2899 2814 3047 HULL GAUGE 100 100 100 100 125 MAX. HORSEPOWER 75 115 115 150 150 200 MAX. WT. CAPACITY 1000 1400 1400 1850 1850 1950 NUMBER OF PERSONS 4 5 5 8 8 8 FUEL CAPACITY 19 6 30 6 26 6 30 6 26 6 30 6 LIVEWELL 15" x 20" 14G 16" x 21" 15G		BAY 17	BAY 18 GX	BAY 18 GX TUNNEL	BAY 20 GX	BAY 20 GX TUNNEL	BAY 22 GX
MIDTH ON TRAILER 83" 96" 97"	BOAT LENGTH	17'2"	18'10"	18'10"	20'3"	20'2"	22'3"
BEAM 83" 96" 97" 97" 97" 97" 97" BOTTOM WIDTH 56" 63" 64" 64" 64" 64" 64" TRANSOM HEIGHT 20" 22" 27" 22" 27" 22" BOW OR SIDE DEPTH 26" 27" 29" 27" 29" 27" DEAD RISE 10° 15° 6° 15° 6° 15° 6° 15° 6° 15° 4PPROX. PRY HULL WT. 865 1350 1320 1540 1454 1676 APPROX. PACKAGE WT. 1590 2290 2260 2899 2814 3047 HULL GAUGE .100 .100 .100 .100 .125 MAX. HORSEPOWER 75 115 115 150 150 200 MAX. WT. CAPACITY 1000 1400 1400 1850 1850 1950 NUMBER OF PERSONS 4 5 5 8 8 8 8 FUEL CAPACITY 19 G 30 G 26 G 30 G C6 C6" 21" 15G 16"x 21" 15G	PKG. LENGTH length on trailer	21'8"	23'10"	23'10"	24'10"	24'6"	28'4"
BOTTOM WIDTH 56" 63" 64" 64" 64" 64" 64" TRANSOM HEIGHT 20" 22" 27" 22" 27" 22" BOW OR SIDE DEPTH 26" 27" 29" 27" 29" 27" 29" 27" DEAD RISE 10° 15° 6° 6° 15° 6° 6° 6° 15° 6° 6° 6° 15° 6° 6° 15° 6° 6° 15° 6° 6° 15° 6° 6° 15° 6° 6° 15° 6° 6° 15° 6° 6° 15° 6° 6° 15° 6° 6° 15° 6° 6° 15° 6° 6° 6° 15° 6° 6° 15° 6° 6° 6° 15° 6° 6° 6° 15° 6° 6° 6° 15° 6° 6° 6° 6° 15° 6° 6° 6° 15° 6° 6° 6° 15° 6° 6° 6° 15° 6° 6° 6° 15° 6° 6° 6° 15° 6° 6° 6° 15° 6° 6° 6° 15° 6° 6° 6° 15° 6° 6° 6° 15° 6° 6° 6° 15° 6° 6° 6° 15° 6° 6° 6° 15° 6° 6° 6° 15° 6° 6° 6° 15° 6° 6° 6° 15° 6° 6° 6° 15° 6° 6° 6° 6° 15° 6° 6° 6° 6° 6° 6° 6° 6° 6° 6° 6° 6° 6°	WIDTH ON TRAILER	83"	96"	97"	97"	97"	97"
TRANSOM HEIGHT 20" 22" 27" 22" 27" 22" 27" 22" BOW OR SIDE DEPTH 26" 27" 29" 27" 29" 27" 29" 27" DEAD RISE 10° 15° 6° 6° 15° 6° 15° 6° 15° 6° 15° 6° 15° 6° 15° 6° 15° 6° 15° 6° 15° 6° 15° 6° 15° 6° 15° 6° 15° 6° 15° 6° 15° 6° 15° 6° 15° 15° 15° 15° 15° 15° 15° 15° 15° 15	BEAM	83"	96"	97"	97"	97"	97"
BOW OR SIDE DEPTH 26" 27" 29" 27" 29" 27" DEAD RISE 100 150 60 150 60 150 APPROX. DRY HULL WT. 865 1350 1320 1540 1454 1676 APPROX. PACKAGE WT. 1590 2290 2260 2899 2814 3047 HULL GAUGE 1.00 1.00 1.00 1.25 MAX. HORSEPOWER 75 115 115 115 150 150 200 MAX. WT. CAPACITY 1000 1400 1400 1850 1850 1950 NUMBER OF PERSONS 4 5 5 8 8 8 8 FUEL CAPACITY 19 G 30 G 26 G 30 G 26 G 30 G LIVEWELL 15" x 20" 14G 16" x 21" 15G	BOTTOM WIDTH	56"	63"	64"	64"	64"	64"
DEAD RISE 10° 15° 6° 15° 6° 15° APPROX. DRY HULL WT. 865 1350 1320 1540 1454 1676 APPROX. PACKAGE WT. 1590 2290 2260 2899 2814 3047 HULL GAUGE .100 .100 .100 .125 .100 .125 MAX. HORSEPOWER 75 115 115 150 150 200 MAX. WT. CAPACITY 1000 1400 1400 1850 1850 1950 NUMBER OF PERSONS 4 5 5 8 8 8 FUEL CAPACITY 19 G 30 G 26 G 30 G 26 G 30 G LIVEWELL 15"x 20" 14G 16"x 21" 15G	TRANSOM HEIGHT	20"	22"	27"	22"	27"	22"
APPROX. DRY HULL WT. 865 1350 1320 1540 1454 1676 APPROX. PACKAGE WT. 1590 2290 2260 2899 2814 3047 HULL GAUGE .100 .100 .100 .100 .125 MAX. HORSEPOWER 75 115 115 115 115 115 150 1850 1850 1950 NUMBER OF PERSONS 4 5 5 8 8 8 FUEL CAPACITY 19 G 30 G LIVEWELL 15"x 20" 14G 16"x 21" 15G 16"x 21" 15G 16"x 21" 15G 16"x 21" 15G	BOW OR SIDE DEPTH	26"	27"	29"	27"	29"	27"
APPROX. PACKAGE WT. 1590 2290 2260 2899 2814 3047 HULL GAUGE 100 100 100 125 100 125 MAX. HORSEPOWER 75 115 115 150 150 150 200 MAX. WT. CAPACITY 1000 1400 1400 1850 1850 1950 NUMBER OF PERSONS 4 5 5 8 8 8 FUEL CAPACITY 19 G 30 G 26 G 30 G 26 G 30 G 26 G 30 G 16"x 21" 15G	DEAD RISE	10°	15°	6°	15°	6°	15°
HULL GAUGE .100 .100 .100 .125 .100 .125 MAX. HORSEPOWER 75 .115 .115 .150 .150 .200 MAX. WT. CAPACITY .1000 .1400 .1400 .1850 .1850 .1850 .1950 NUMBER OF PERSONS 4 .5 .5 .8 .8 .8 FUEL CAPACITY .19 G .30 G .26 G .30 G	APPROX. DRY HULL WT.	865	1350	1320	1540	1454	1676
MAX. HORSEPOWER 75 115 115 150 150 200 MAX. WT. CAPACITY 1000 1400 1400 1850 1850 1950 NUMBER OF PERSONS 4 5 5 8 8 8 FUEL CAPACITY 19 G 30 G 26 G 30 G 26 G 30 G LIVEWELL 15"x 20" 14G 16"x 21" 15G	APPROX. PACKAGE WT.	1590	2290	2260	2899	2814	3047
MAX. WT. CAPACITY 1000 1400 1400 1850 1850 1950 NUMBER OF PERSONS 4 5 5 8 8 8 FUEL CAPACITY 19 G 30 G 26 G 30 G 26 G 30 G LIVEWELL 15"x 20" 14G 16"x 21" 15G	HULL GAUGE	.100	.100	.100	.125	.100	.125
NUMBER OF PERSONS 4 5 5 8 8 8 FUEL CAPACITY 19 G 30 G 26 G 30 G 26 G 30 G LIVEWELL 15"x 20" 14G 16"x 21" 15G	MAX. HORSEPOWER	75	115	115	150	150	200
FUEL CAPACITY 19 G 30 G 26 G 30 G 26 G 30 G LIVEWELL 15"x 20" 14G 16"x 21" 15G	MAX. WT. CAPACITY	1000	1400	1400	1850	1850	1950
LIVEWELL 15"x 20" 14G 16"x 21" 15G	NUMBER OF PERSONS	4	5	5	8	8	8
	FUEL CAPACITY	19 G	30 G	26 G	30 G	26 G	30 G
							16"x 21" 15G 14"x 34" 31G



Add a "touch of class" to your new Bay Boat package with a dealer installed T-Top. This option is available in Black, Oyster, Charcoal, Gray and Sand.



Humminbird® electronics help make for a successful day on the water. A wide selection is available to add to your G3 package.



SeaDek® mats are available as an option on Bay Series.



security, spare tire and carrier is a popular option on most trailers.



G3 is a leader in tunnel hull designs for shallow water sportsmen. Buoyancy pods aid shallow water hole shot. Optional jack plate available.



Optional 8' and 10' Power Poles® are available on 22 ft to 18 ft Bay Boats.



Optional 6" hydraulic jack plate for enhanced performance for your dependable Yamaha motor.



G3 aligns with the best fishing equipment manufacturers in the industry to help you customize your new boat package. A wide selection of Minn Kota® trolling motors are offered. Ask your dealer for details.

BAY COLOR GUIDE

HULL COLOR OPTIONS



ICE BLUE METALLIC

CHARCOAL METALLIC









MOSSY OAK® SHADOW GRASS®

INTERIOR VINYI | TUFF COAT™ SPRAY-IN I INFR

TAN

WHITE



MOSSY OAK® BREAK UP®



MOSSY OAK® SHADOW GRASS®

FURNITURE & SEATS









INTERIOR VINYL



SeaDek® Color Options: White/Storm Gray Storm Gray/White Cream/Camel Mocha/Cream Mocha/Black





Follow instructional materials and obey all laws. Ride responsibly, wearing protective apparel and USCG approved personal flotation device. Always drive within your capabilities, allowing time and distance for maneuvering, and respect others around you. Never drink and ride.

Notice to Consumer: The performance information and data contained in this Catalog is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Catalog due to various factors, including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Please also keep in mind that the data contained in this Catalog may or may not have been performed using Yamaha PowerMatched components. Yamaha and G3 Boats reserve the right to change the specifications and performance data of these boat & motor packages without notice.








ANGLER V SERIES

Built to endure with all the features needed to tackle big fish and big family fun, these rugged Deep V models are dependable, season after season. The exclusive GX2 reinforced hull with double plating in critical wear areas form the solid base for rugged wide-body designs. These Vs are made for hooking and handling your favorite species with extralarge livewells, spacious rod lockers and numerous secure storage compartments. Multi-species fishing or weekend skiing, there's an Angler V or Guide V made just for you, backed by G3 and Yamaha quality and dependability.





ANGLER V 21 F





STANDARD PACKAGE

Riveted .080 gauge hull with GX2 double-plated .080 bow and bottom

Exterior: Painted high-gloss color with custom graphics

3 bank battery charger

Hydraulic Steering

EZ Loader® Tuff Coat™ finish tandem axle with single disc brake

14" radial tires

Shown with options







TWO LIVEWELLS WITH OPTIONAL FLIP DECK bow (15 6) and stern (35 6) provides 50 gallons of fresh, aerated water. Stern livewell also includes bait bucket insert.

OPTIONAL FLIP SEATS adds two passenger seats when up, and additional casting space when positioned "down" in the cockpit.

PASSENGER CONSOLE provides small item storage in the console, cellphone holder and plenty of leg room for the passenger.

SHOWN IN CHARCOAL WITH ORANGE/GRAY GRAPHICS

ANGLER V 19 SF





BOW LIVEWELL 15 gallon livewell gives the bow fisherman easy access to the livewell.

WALK-THROUGH WINDSHIELD seating for both captain and passenger. Additional storage is also found underneath both consoles.

COMMAND CENTER features quality Yamaha gauges including tach, trim, speedo, fuel and volt. Humminbird® electronics are optional equipment.







SHOWN IN MIDNIGHT BLUE WITH GRAY/GRAY GRAPHICS

18 SF ANGLER



Shown with options

Riveted .080 gauge hull with GX2 double-plated .080 bow and bottom

Exterior: Painted high-gloss color with custom graphics 2 bank battery charger

EZ Loader® black painted trailer with Tuff Coat™ finish

14" radial tires

Hydraulic steering




OPTIONAL SKI TOW WITH BOARDING LADDER Optional ski tow bar is available for those family fun days. Boarding ladder gives easy access back on the boat.

6 G3BOATS.COM

BOW STORAGE Decks are offered in your choice of carpet or vinyl. Several large storage boxes have a molded lip around the fitted closure to better keep your gear dry.





ر ت



ANGLER V 18 C 17 C



Riveted .080 gauge hull with GX2 double-plated .080 bow and bottom

Exterior: Painted high-gloss color with custom graphics

2 bank battery charger

EZ Loader® black painted trailer with Tuff Coat™ finish (18 C) (17 C no brakes)

∽ 🗗 Hydraulic steering




















DRIVER AND PASSENGER SEATS are high-back and comfortable. With extra pedestal bases on front and back decks, anglers always have a good fishing location.

BOW LIVEWELL 29", 15 gallon livewell is divided and has quick drain plug.

D





ANGLER V 178 C 164 C



Riveted .080 gauge hull with GX2 double-plated .064 bow Exterior: Painted high-gloss color with custom graphics

EZ Loader® black painted trailer with Tuff Coat™ finish

No Feed Back Steering (178)

CONSOLE has Yamaha gauges and controls, cell phone holder and a spot for optional Humminbird® electronics.

GUNNEL ROD LOCKER holds rods up to 7'6" in length, keeping your gear safe and secure.

BIKE SEAT is available as an option for the serious angler which swivels and moves with ease.







164 C

SHOWN IN MIDNIGHT BLUE WITH TAN/TAN GRAPHICS









COCKPIT AREA gives the captain and the passenger plenty of room, Storage compartments are found at the foot of each console. Cell phone holders are conveniently located on the console. Shown with optional Humminbird® electronics.

SHOWN IN MIDNIGHT BLUE WITH BLUE/TAN GRAPHICS

ANGLER V 1750 SF







Exterior: Painted high-gloss color with custom graphics

EZ Loader® black painted trailer with Tuff Coat™ finish (no brakes)

14" radial tires

ے | 14″ radial tire

Hydraulic steering

2 bank battery charger

CENTER ROD LOCKER Rod locker holds up to six rods and small tackle boxes.

BOW AREA Storage is plentiful in the Angler V1750 SF. A 15 gallon bow livewell gives the bow angler easy access to the livewell. Shown with optional trolling motor.

CONSOLE Quality Yamaha gauges, cell phone holder and Yamaha controls all make for a top of the line command center.







OUTFITTER V187 T V177 T V167 T V150 T







Shown with options

Riveted .100 gauge hull

Riveted .064 hull gauge sides (V150 T)

GX2 .064 double-plated bow (V187 T/V177 T / V167 T)

Exterior: Painted enamel

EZ Loader® black painted single axle trailer

13" radial tires















FISHING SEAT Comfortable fold down fishing seat moves easily to a new base location when the fish are located.

SWITCH PANEL Side-mounted switch panel includes fuel gauge, master electrical switch, navigation lights, and 12-volt outlet.

BOW STORAGE gives you plenty of space for all of your gear.

GUIDE V187 T V177 T V167 T V150 T



Shown with options

=

Riveted .100 gauge hull

Riveted .064 hull gauge sides (V150 T)

GX2 .064 double-plated bow (V187 T/V177 T / V167 T)

Exterior: Painted urethane high-gloss color, unpainted bottom

EZ Loader® black painted single axle trailer

13"radial tires

BOW STORAGE These work horse boats provide plenty of storage for all your gear. This model is shown with an optional console. See your dealer for details.

GAUGES ON OPTIONAL CONSOLE This optional console provides an area for the relocation of the controls for master power, nav lights, bilge and aerator. A 12 volt power accessory is available for keeping electronics charged.

OPTIONAL CONSOLE An optional console can be added to give more flexibility. Side rod holder holds up to three rods.





ANGLER V & GUIDE V SPECS & OPTIONS

For complete information on Standard Features and Options, visit g3boats.com or your local dealer.



= Double Plated Bow





















# - Double Flated Dow					-	_			_					,
& Bottom	Angler V164 F	Angler V164 C	Angler V178 F	Angler V178 C	Angler V17 T	Angler V17 C	Angler V17 SF	Angler V1750 SF	Angler V18 C	Angler V18 SF	Angler V1850 SF	Angler V19 SF	Angler V21 F	'
BOAT LENGTH	16'4"	16'4"	17'8"	17'8"	17'2"	17'2"	17'2"	17'6"	18'2"	18'2"	18'6"	19'2""	21'2"	
PKG. LENGTH length on trailer	19'5"	19'5"	21'5"	21'5"	22'3"	22'3"	22'3"	22'3"	22'9"	22'9"	22'9"	24'4"	26'10"	
WIDTH ON TRAILER	91"	91"	91"	91"	102"	102"	102"	102"	102"	102"	102"	102"	102"	
BEAM	88"	88"	88"	88"	97"	96"	96"	96"	96"	96"	96"	96"	96"	-
BOTTOM WIDTH	70"	70"	70"	70"	82"	82"	82"	82"	82"	82"	82"	82"	82"	
TRANSOM HEIGHT	20"	20"	20"	20"	25"	25"	25"	25"	25"	25"	25"	25"	25"	
BOW OR SIDE DEPTH	35"	35"	35"	35"	40"	40"	40"	40"	40"	40"	40"	40"	40"	
DEAD RISE	13º	130	13°	130	130	130	130	130	13°	130	130	13º	130	
APPROX. DRY HULL WT.	1080	1000	1150	1070	1454	1420	1480	1720	1560	1620	1780	1800	2115	
APPROX. PACKAGE WT.	1845	1925	1988	1908	2584	2685	2745	2985	2825	2885	3045	3190	3550	'
HULL GAUGE	.080 + .064*	.080 + .064*	.080 + .064*	.080 + .064*	.080 + .080#	.080 + .080#	.080 + .080#	.080 + .080#	.080 + .080#	.080 + .080#	.080 + .080#	.080 + .080#	.080 + .080#	
MAX. HORSEPOWER	90	90	115	115	90	150	150	150	175	175	175	200	250	
MAX. WT. CAPACITY	1350	1350	1425	1425	1650	1700	1700	1700	1800	1800	1800	2000	2200	
NUMBER OF PERSONS	6	6	6	6	7	7	7	7	8	8	8	8	8	
FUEL CAPACITY	19 G	19 G	19 G	19 G	34 G	34 G	34 G	34 G	34 G	34 G	34 G	40 G	40 G	
LIVEWELL dimensions & capacities	14"x 41" 27G	14"x 41" 27G	14"x 41" 27G	14"x 41" 27G	9"x 29" 15G 10"x 29" 19G	9"x 29" 15G 13"x 48" 35G	9"x 29" 15G 13"x 28" 20G	9"x 29" 15G 13"x 28" 20G	9"x 29" 15G 13"x 48" 35G	9"x 29" 15G 13"x 28" 20G	9"x 29" 15G 13"x 28" 20G	9"x 29" 15G 13"x 28" 20G	9"x 29" 15G 13"x 48" 35G	



Optional ski tow bar is available for those family fun kicker motor is days. Boarding ladder gives easy access back on the boat.



Optional 9.9 HP available for the serious angler.



products as optional equipment on the Angler V lineup.



G3 now offers Humminbird® G3 teams up with the best fishing equipment manufacturers in the industry to help you customize your new boat package. A wide selection of Minn Kota® trolling motors are offered. Ask your dealer for details.



Optional flip deck adds two passenger seats when up, and additional casting space when positioned "down".





















Guide V150 T	Guide V167 T	Guide V177 T	Guide V187 T	Outfitter V150 T	Outfitter V167 T	Outfitter V177 T	Outfitter V187 T
14'11"	16'7"	17'7"	18'7"	14'11"	16'7"	17'7"	18'7"
19'	21'4"	22'3"	22'8"	19'	21'4"	22'3"	22'8"
79"	87"	87"	87"	79"	87"	87"	87"
73"	81"	81"	81"	73"	81"	81"	81"
56"	61"	61"	61"	56"	61"	61"	61"
20"	20"	20"	20"	20"	20"	20"	20"
30"	32"	32"	32"	30"	32"	32"	32"
60	13º	13°	13°	6°	13°	130	13°
596	765	940	970	596	765	940	970
1100	1455	1630	1790	1100	1455	1630	1790
.100	.100 + .064*	.100 + .064*	.100 + .064*	.100	.100 + .064*	.100 + .064*	.100 + .064*
40	50T/60C	60T/70C	70T/90C	40	50T/60C	60T/70C	70T/90C
1080	1175	1400	1500	1080	1175	1400	1500
4	5	6	7	4	5	6	7
6.6 G port.	6.6 G port.	19 G	19 G	6.6 G port.	6.6 G port.	19 G	19 G
14"x 30" 15G	14"x 41" 27G	14"x 41" 27G	14"x 41" 27G	14"x 30" 15G	14"x 41" 27G	14"x 41" 27G	14"x 41" 27G
				I		I	

LOOSE GUIDE V AND OUTFITTER V SPECS ARE ON PAGES F54 & F55 ON THE JON BOAT SPEC CHARTS.

Follow instructional materials and obey all laws. Ride responsibly, wearing protective apparel and USCG approved personal flotation device. Always drive within your capabilities, allowing time and distance for maneuvering, and respect others around you. Never drink and ride.

Notice to Consumer: The performance information and data contained in this Catalog is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Catalog due to various factors, including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Please also keep in mind that the data contained in this Catalog may or may not have been performed using Yamaha PowerMatched components. Yamaha and G3 Boats reserve the right to change the specifications and performance data of these boat & motor packages without notice.

ANGLER V COLOR GUIDE



HULL COLOR OPTIONS



EXTERIOR GRAPHICS OPTIONS



INTERIOR VINYL OPTIONS



FLOORING OPTIONS



FURNITURE & SEATS















GATOR TOUGH JON SERIES

Durability, dependability and value – the key elements needed in a craft to take the avid outdoorsman into adventure after adventure. G3 Jons provide an array of all welded models so tough that they are a natural fit for extended use, from professional work boats to all season hunting and fishing. Simply stated, "Jon boats the way they should be." Everything you need, nothing you don't.





GATOR TOUGH 20 CCJ 18 CCJ 17 CCJ



20 CCJ

18 CCJ

17 CC.

All-aluminum, all welded .100 gauge hull

Exterior: Painted Desert Brown or Mossy Oak® Shadow Grass® or Break-up®

Interior: vinyl

Rubber-infused Kodiak® coated 3" tubular steel Trail Guard® trailer with locking detachable tongue

Hydraulic steering (20 CCJ)

14" radial tires (20 CCJ), 13" (18 CCJ, 17 CCJ)

















STEP TO THE FRONT DECK has been added for easy access to the bow along with a courtesy light.

CONSOLE rugged aluminum console is set forward to aid in shallow water running.

PASSENGER JUMP SEATS in the stern provide more comfort for your friends or family, along for the adventure (not available on 17 CCJ).

GATOR TOUGH 18 CCT





| All-əluminum, əll welded .100 gəuge hull

Exterior: Painted Desert Brown or Mossy Oak® Shadow Grass® or Break-up®

Interior: vinyl

Rubber-infused Kodiak® coated 3" tubular steel Trail Guard® trailer with locking detachable tongue

13" radial tires

DOUBLE WIDE HELM SEAT doubles as a cooler and gives the angler options for stern seating.

LOCKABLE BOW STORAGE Deck is designed with lockable storage to provide more space for gear.

SIDE ROD STORAGE with three additional rod holders on port side, this Gator Tough boat can keep nine rigs ready to fish.





GATOR TOUGH 20 CCJ DLX 18 CCJ DLX 17 CCJ DLX



20 CCJ DLX

PACKAGE

STANDARD

18 CCJ DI X

17 CCJ DL

All-aluminum, all welded .100 gauge hull

Exterior: Painted high-gloss colors with custom graphics

Interior: Tuff Coat™ marine grade spray-in liner

Rubber-infused Kodiak® coated 3" tubular steel Trail Guard® trailer with locking detachable tongue

14" radial tires (20 CCJ DLX), 13" (18 CCJ DLX, 17 CCJ DLX)

Hydraulic steering (20 CCJ DLX)









OPTIONAL SEADEK® mats are available in storm gray with navy pinstripe (20 CCJ DLX only).

SIDE ROD BOX along port side of cockpit is lockable to secure your valuable equipment.

DOUBLE WIDE HELM SEAT has an easy access 26" x 13" 17 gallon livewell.

GATOR TOUGH 18 CCT DLX



Shown with options

ANDARD PACKAG

SYAMAHA

All-aluminum, all welded .100 gauge hull

Exterior: Painted high-gloss colors with custom graphics

Interior: Tuff Coat™ marine grade spray-in liner

Rubber-infused Kodiak® coated 3" tubular steel Trail Guard® trailer with locking detachable tongue

13" radial tires

OPTIONAL BUOYANCY PODS provide lift for fast hole shot and enhance flat running for shallow draft.


BOW STORAGE boxes are available for your larger gear.

OPTIONAL JACK PLATE is available.










18 DK



15 DK





f @ G3BOATS.COM

GEAR SHELF Revised layout for the 18 DK includes handy equipment ledge under the gunnel. Organize all of your gear within reach.

OPTIONAL CAMO FISHING SEATS available to match your pattern. Three pedestal locations provide exceptional hunting/fishing positions.







GATOR TOUGH 20 CC 18 CC 17 CC



| All-aluminum, all welded .100 gauge hull

Exterior: Painted Desert Brown or Mossy Oak® Shadow Grass® or Break-up®

Interior: vinyl

РА

Rubber-infused Kodiak® coated 3" tubular steel Trail Guard® trailer with locking detachable tongue

14" radial tires (20 CC, 18 CC), 13" (17 CC)

No Feed Back Steering (20 CC)



18 CC

17 CC









CENTER CONSOLE with Mossy Oak® camo accommodates every angler with added freedom of movement. 14 gallon livewell on the console provides fresh aerated water.

BOW LIVEWELL has insulated lid that helps keep your catch fresh all day.

LEAN POST is available as an option on all CC models. Jump seats on either side are standard on 20 CC.



GATOR TOUGH 20 SC 18 SC 17 SC



All-aluminum, all welded .100 gauge hull

Exterior: Painted Desert Brown or Mossy Oak® Shadow Grass® or Break-up®

Interior: vinyl

Rubber-infused Kodiak® coated 3" tubular steel Trail Guard® trailer with locking detachable tongue

14" radial tires (20 CC, 18 CC), 13" (17 CC)

No Feed Back Steering (20 SC)

20 SC

18 SC

17 SC







BOW LIVEWELL & STORAGE Large 31 gallon divided livewell has 800 gallon per hour aerator pump. (20 SC & 18 SC) Lockable storage keeps your gear safe when not in use.

ROD HOLDERS Three additional rod holders keep your rigs ready to fish.

RUGGED CONSOLE matches the durability profile of the toughest jons on the water. Shown with optional Humminbird® electronics.



GATOR TOUGH 2066 WOF 1860 WOF 1652 WOF 1860 WOFJ



All-aluminum, all welded .100 gauge hull

Exterior: Painted Desert Brown

Interior: vinyl

Rubber-infused Kodiak® coated 3" tubular steel Trail Guard® trailer with locking detachable tongue

13" radial tires, 14" radial tires (2066 WOF)







THREE BOW CLEATS allow easy mooring from port or starboard sides of the boat. Other features include fitted side sheets to eliminate exposed ribs and floor gaps, and slotted gunnels for easy accessory attachment. Three bow cleats are available on 2066 WOF, 1860 WOF and 1860 WOFJ.

INTERIOR BOW VIEW Open floor plan offers massive cargo capacity with double step front.

NON SKID FLOOR Large stern deck is enhanced with a pedestal base for an optional camo fishing chair.



GATOR TOUGH RIVETED WELDED

Jon Boat Options

Loose Jon Boat Consoles

Adjustable Side Console Only

Adjustable Side Console with Steering

Wheel, Bezel, & Mount

Aluminum Center Console Complete with 12' steering cable (1860VBW)

Windshield for optional consoles

Loose Jon Floor Kits (Floors & Side Sheets)

Floor Insert (Desert Brown Vinyl) 1548VBW

Floor Insert (Desert Brown Vinyl) 1652VBW

Floor Insert (Desert Brown Vinyl) 1860VBW

Guide V Floor Kits & Starboard Seat Tops

Floor Insert Guide V14 (Covers all sections but bow)

Floor Insert Guide V16XT (Covers all sections but bow)

Optional Guide V14 & V16XT seat tops

Other Available Options

Aluminum Box Pedestal

Optional Gas Lid (aft lid)

Optional Gas Lid (aft lid) Camo

Trolling Motor Mount (1032-1648LW)

Yamaha 6.6 gal port. low permeation fuel tank

Storage Box (12"x12"x26")

Storage Box Cushion Camo

Slider Cushion Camo

RIVETED | WELDED JON BOAT SPECIFICATIONS

RIVETED JONS

Optional portable gas tank shown













<u>₩</u>	

	1036	1236	1436	1436 LW	1442	1448 LW	1544 LW	1648 LW
BOAT LENGTH	10'	11'11"	13'11"	13'11"	13'11"	13'11"	14'11"	15'10"
BEAM	52"	56"	56"	56"	62"	70"	65"	70"
BOTTOM WIDTH	36"	36"	36"	36"	42"	48"	44"	48"
TRANSOM HEIGHT	16"	16"	16"	16"	16"	16"	16"	16"
SIDE DEPTH	18"	18"	18"	18"	21"	21"	20"	21"
DEAD RISE	00	0 0	0 0	00	00	00	00	0 °
APPROX. DRY HULL WT.	100	144	152	165	200	233	218	270
HULL GAUGE	.054	.054	.054	.054	.064	.074	.064	.074
MAX HP	5	10	15	15	25	25	25	25
MAX WT CAPACITY	375	470	600	600	720	820	720	920
NUMBER OF PERSONS	2	2	3	3	3	4	3	4
LIVEWELL dimensions & capacities				12"x 24" 10G		12"x 24" 10G	12"x 24" 10G	12"x 24" 10G

Boat smart from the start, take a boating safety course and get a free vessel safety check annually for your boat. For more information, contact United States Coast Guard at www.uscgboating.org or United States Power Squadrons, 888-for-usps. Follow all instructional materials and local and federal laws. Remember to always observe all applicable boating laws. Never drink and drive. Dress properly with a USCG approved personal flotation device and protective gear. Always use your stop switch lanyard. Operate within your capabilities, allowing extra time and distance for maneuvering. Always operate in a responsible manner, respecting the environment and others around you.

While every effort has been made to ensure the accuracy of the information contained herein, specifications and measurements are approximations and subject to variances. G3 Boats does not guarantee such accuracy and can't be held liable for any errors or any reliance upon this information.

This document contains many of G3's valuable trademarks. It may also contain trademarks belonging to other companies. Any references to other companies or their products are for identification purposes only, and are not intended to be an endorsement. Mossy Oak® is used under license.



The NMMA® Certified label on a G3 Boat lets you know it was built to meet and often exceed, strict quality and safety standards established by the U.S. Coast Guard and the American Boat & Yacht Council. These standards include 31 categories covering electrical systems, powering, flotation, fuel

systems and navigation lights. Certified boats must also pass rigorous annual inspections from independent third-party inspectors. As a result, U.S. Coast Guard statistics show NMMA® Certified boats have been shown to be safer than non-certified boats.













	1652 WSOF	1852 WSOF	1548 VBW	1652 VBW	1860 VBW	V12	V14 & 14 LT	V16 XT
BOAT LENGTH	15'10"	17'11"	14'10"	15'10"	17'11"	12'6"	14'6"/14'6"	16'6"
BEAM	71"	71"	70"	71"	80"	65"	65"/59"	65"
BOTTOM WIDTH	52"	52"	48"	52"	60"	50"	50"/45"	50"
TRANSOM HEIGHT	20"	20"	16"	20"	20"	16"	16"/16"	20"
SIDE DEPTH	21"	21"	21"	21"	24"	BOW DEPTH 23"	23"/22"	23"
DEAD RISE	3º	30	0°	30	6°	6°	6º/3º	6°
APPROX. DRY HULL WT.	460	500	340	400	500	170	200/175	260
HULL GAUGE	.100	.100	.100	.100	.100	.064	.064/.054	.064
MAX HP	50T/60C	50T/75C	25	50T/60C	60T/90C	15	20/10	25
MAX WT CAPACITY	1000	1200	800	1000	1500	600	800/725	900
NUMBER OF PERSONS	4	5	4	4	6	3	4/4	4

WSOF = Welded with Center Seat

VBW = V-Bow Welded



- ★ Five (5) Year Bow to Stern Boat Limited Warranty
- ★ Limited Lifetime on External Seams plus 5 Year Bow to Stern Limited Warranty
- ★ Bow to Stern Limited Warranty Transferable to Second Owner Within 5 Years of Original Purchase

PERIOD OF LIMITED WARRANTY: Any new G3 Boat or SunCatcher Pontoon purchased for personal, family or household use from any authorized G3 Boat or SunCatcher Pontoon dealer in 50 U.S. States, U.S. territories and U.S. jurisdictions, and Canada, will be warranted against major structural defects in material or workmanship as follows: (i) Limited Lifetime External Seams and Deck: main riveted and welded seams in hull to include keel, outside chine and transom to hull seam riveted and welds for the duration of ownership of the first retail purchaser from an authorized G3 dealer; (ii) Five (5) Year Bow to Stern Limited Warranty: structural components, including other welds, bulkheads, stringers, and rivets and select non-structural components, as follows: gauges, stereo, vinyl, and furniture (except as noted otherwise under General Exclusions) are warranted against defects in material or workmanship for a period of five (5) years from the date of purchase.

Effective Date: September 1, 2021. Other restrictions and conditions apply. To read complete G3 Advantage Limited Warranty details, go to g3boats.com/Warranties.

© 2022 G3 Boats, a division of Skeeter Products, Inc. All rights reserved. G3 Boats reserves the right to change products and specifications without notice. All material in this manual is believed to be correct at the time of publication. Some optional equipment may be shown in some photographs.










Revs Your Heart

GATOR TOUGH PACKAGE JON BOAT SPECS AND OPTIONS

GATOR TOUGH™ PACKAGE JONS FL = Floor Only SC = Side Console CC=Center





Add the dependable power of a Minn Kota® trolling motor to any Gator Tough jon for a quality fishing experience.



Optional jack plate is available.



Optional leaning post sports a camo pattern cushion for comfort while standing and driving.

Available on CC models.







Optional buoyancy pods on prop tunnel hull models provide lift for fast hole shot and enhance flat running for shallow draft.



G3 offers optional Humminbird® products throughout the Gator Tough jon boat lineup.



Matching camo mooring covers are popular options for the G3 selection of Mossy Oak® camo boats. Every model is patterned and custom fit to the boat by Dowco®, Inc.











